

# Polyflor Firenze Collection

Domestic Cushion Vinyl



Zinc 193S



Zinc 906M



Columbian Oak 996D



Columbian Oak 626M



Columbian Oak 969L



Columbian Oak 009S



Silk Oak 109S




Silk Oak 167L



Silk Oak 916L



Silk Oak 979L



Arco 663M



Arco 900L



Arco 909M



Arco 999E

# Polyflor Firenze Collection

## Domestic Cushion Vinyl

### Properties



### Product information

	Norm	Symbol	
Classification	EN 685-ASTM23		23-31
Wearlayer	EN 429		0.25 mm
Total Thickness	EN 428		2.50 mm
Total Weight	EN 430		1650 g/m <sup>2</sup>
Standard Length	EN 426		30 m

### Technical information

	Norm	Symbol	
Interlayer			Glass Fibre
Light Stability	ISO 105-B02		≥ 6
Dimensional Stability	EN 434		≤ 0.40%
Underfloor Heating	EN 12667		Suitable
Residual Indentation	EN 433		≤ 0,35 mm
Reaction to Fire	EN 13501-1		Bfl S1
Slip Resistance	DIN 51130		R10