

CRE
AT
IVE
AU
TH
ENT
IC
PRA
CTI
CAL

expONA®

DOMESTIC

THE FEEL-GOOD FLOORING FOR YOUR HOME



YOUR NEW FLOOR
SHOULD BE BEAUTIFUL, NATURALLY.

QUIET, AUTHENTIC,

ROBUST,

DURABLE, CREATIVE,

COSY









expona®

DOMESTIC



EXPONA DOMESTIC STRUCTURE



THE POLYURETHANE SURFACE TREATMENT

Thanks to a factory-applied polyurethane surface treatment, there is less work for you to do to care for your floor.

THE WEAR LAYER

This transparent, extremely dense layer is hard-wearing and protects the pattern below. This allows the surface embossing to create a particularly authentic effect.

THE PATTERN LAYER

Many designs have been developed exclusively for EXPONA and embossed onto the pattern layer by means of innovative technologies.

THE STABILISATION LAYER

Improved dimensional stability is achieved by minimising the changes caused by physical properties (e.g. by temperature fluctuations).

THE LOAD-BEARING LAYER

The basis for the long service life and high performance offered by EXPONA floors.

EXPONA DOMESTIC

is top quality vinyl flooring in tile and plank formats. Each layer has been thermally pressed for ultimate performance.

CRE



CREATIVE

AUTHENTIC



PRACTICAL





5981 **RUSTY PINE**





5959 **AGED INDIAN APPLE**







5922 **BRASILIAN SLATE BLUE**





5916 **BLACK OILSHALE**
5917 **WHITE OILSHALE**



5968 **NATURAL OAK MEDIUM**







5963 **HONEY ASH**

ANTIQUE CHERRY
PINE DARK RUST
BLONDE INDIAN APPLE GREY BRUSHED OAK
WILD OAK
BLACK OILSHALE
WHITE METALSTONE
BRASILIAN SLATE BLUE

With **12 stone** and **18 wood effects**,
Expona Domestic offers authentic decorations for every taste and style.
Innovative printing technologies and realistic surface embossing enable
this flooring to create lively and thrilling designs.



5915 **ANTIQUE TRAVERTINE MEDIUM** T3 45.7 X 45.7



5913 **ANTIQUE TRAVERTINE LIGHT** T3 45.7 X 45.7



5920 **BRASILIAN SLATE OXIDE** T2 61.0 X 61.0



5926 **WHITE METALSTONE** T1 30.5 X 61.0



5924 **WHITE LIMESTONE** T1 61.0 X 61.0



5925 **SILVER LIMESTONE** T1 61.0 X 61.0

Tile patterns may contain variations in markings and shading as part of their design. By following a pattern of continuous development, we reserve the right to add or delete patterns and improve technical specifications without prior notice. Reproductions in printing and photography are for guidance only, they give a general indication of colour and are not necessarily representative of the overall effect or design. For colour selection an original sample is recommended.


all sizes of tiles and planks in cm



5922 **BRASILIAN SLATE BLUE** T2 61.0 X 61.0



5917 **WHITE OILSHALE** T1 45.7 X 45.7



5916 **BLACK OILSHALE** T1 45.7 X 45.7



5911 **SLATE GREY** T4 30.5 X 61.0



5910 **SILVER SLATE** T4 30.5 X 61.0



5923 **LETTERS GREY** * T1 45.7 X 45.7

* not cut to repeat

all sizes of tiles and planks in cm.



5967 **NATURAL OAK GREY** P4 15.2 X 121.9



5982 **NATURAL OAK WASHED** P4 15.2 X 121.9



5983 **WORN BOATPLANK**** P4 20.3 X 121.9

** The sample shows only a small part of the overall design that includes lettering.



5962 **GREY ASH** P2 15.2 X 121.9



5975 **BLEACHED ASH** P2 15.2 X 121.9



5976 **GREY BRUSHED OAK** P2 20.3 X 121.9

Wood plank patterns may contain variations in markings and shading as part of their design. By following a pattern of continuous development, we reserve the right to add or delete patterns and improve technical specifications without prior notice. Reproductions in printing and photography are for guidance only, they give a general indication of colour and are not necessarily representative of the overall effect or design. For colour selection an original sample is recommended.

all sizes of tiles and planks in cm.



5950 **SCANDINAVIAN COUNTRY PLANK** P5 15.2 X 91.4



5971 **CLASSIC OAK** P1 10.2 X 91.4



5958 **BLOND INDIAN APPLE** P2 15.2 X 121.9



5968 **NATURAL OAK MEDIUM** P4 15.2 X 121.9



5981 **RUSTY PINE** P4 15.2 X 121.9



5953 **WILD OAK** P1 15.2 X 91.4

all sizes of tiles and planks in cm



5951 **ANTIQUE OAK** P5 15.2 X 91.4



5955 **ANTIQUE CHERRY** P5 15.2 X 91.4



5960 **DARK BRUSHED OAK** P2 20.3 X 121.9



5963 **HONEY ASH** P2 15.2 X 121.9



5969 **NATURAL OAK DARK** P4 15.2 X 121.9



5959 **AGED INDIAN APPLE** P2 15.2 X 121.9

all sizes of tiles and planks in cm

EXPONA DOMESTIC DURABLE – EASY



DURABLE: The hard-wearing surface is highly resistant and creates floors with lasting beauty. EXPONA DOMESTIC flooring can therefore be used in high-traffic residential areas – and it even offers an extremely pleasant, muted sound when you walk on it.



EASY: Because it is not particularly thick (2.0 mm), EXPONA DOMESTIC flooring is also especially well-suited for renovations and also for installation over under-floor heating. The factory-applied polyurethane surface treatment protects the floor, and if correctly cared for can offer extremely low maintenance for many years.

EXPONA DOMESTIC TOUGH – EASY-CARE



TOUGH: EXPONA DOMESTIC flooring is resistant to dirt and surface water. Because of its properties, it does not swell and is therefore problem-free for installation in bathrooms and kitchens.



EASY-CARE: These floors are easy to clean. We recommend regular vacuuming or broom sweeping. Stubborn dirt can be removed by damp-wiping the surface with any neutral cleaning product.

SURFACE EMBOSSING

To make sure each decor makes the best impression, the embossing of its surface has been specially designed to suit the individual design.



T 1 – Fine stone structure




T 2 – Stone structure



T 3 – Antique stone structure



T 4 – Slate structure



P 1 – Fine wood structure



P 2 – Wood structure



P 3 – Hand-planed structure



P 4 – Relief wood structure




P 5 – Rustic wood structure

INLAYS

Inlays can be produced in almost any size or colour according to your individual requirements. The standard formats are diameters of 90 cm, 120 cm or 150 cm. Special formats can also be made depending on the design chosen.

Example of inlay



i04

FEATURE AND GROUTING STRIPS

Feature and grouting strips are useful for accentuating authentic joints between tiles or planks.



0025 SILVER 0.5 X 100



0026 GOLD 0.5 X 100



0028 BLACK 0.5 X 100



0031 BROWN 0.5 X 100



0032 CREAM 0.5 X 100



0033 COPPER 0.5 X 100



0034 TERRACOTTA 0.5 X 100



5752 MID GREY 0.5 X 100


sizes in cm

Accentuate your floor design with your own personal style


CUSTOM DESIGN BORDERS

This facility allows you to mix and match colours according to your personal taste. Length and width will always depend on the design and colour of the border chosen.



Examples of borders




5901



5903



5902




5904






INSTALLATION ALTERNATIVES


Examples of installations



Brick



Tile



Keystone

ENVIRONMENTALLY CERTIFIED FLOORING

The Expona suite of products including Expona Domestic, Expona Design and Expona Superplank have all achieved Ecospecifier’s world leading ‘Green Tag™’ certification. Meaning you can be sure that you are purchasing a product that is independently certified as environmentally preferred.

Green Tag™ is an independant third party, green product rating and certification ecolabel, underpinned by rigorous scientific and Life Cycle Assessment (LCA) processes. In short, Green Tag™ helps the consumer identify products that are environmentally preferred, for use in their home via an independantly audited and industry recognised whole of life cycle certification system. Ecospecifier’s Green Tag™ is recognised by the Green Building Council of Australia (GBCA) and the New Zealand Green Building Council (NZGBC).


To learn more visit www.ecospecifier.com.au, www.gbca.org.au or www.nzgbc.org.nz



All Expona LVT (Luxury Vinyl Tile) products are 100% recyclable and are recycled in Australia and New Zealand through the Recofloor – Vinyl Take Back Scheme. The Recofloor scheme reduces the amount of vinyl flooring going to local landfill. Through the localised scheme, flooring off-cuts from the installation process are recycled back into new flooring. Uplifted or end of life material is downcycled into traffic calming products such as traffic cone and road barrier bases.

SIZES

Creating a perfect ambience for living is a matter of detail. This is why each product is available solely in the size that suits the individual design best.



all sizes of tiles and planks in cm

Subject to change for reasons of technical further development. The samples are only cuttings of the respective products. They show only a small part of the overall design and colour. With regard to colour printing, it is only possible to give a provisional representation of the colour. For colour selection an original sample is recommended.

CUSTOMER GUARANTEE

Ideal for all areas of the home, the EXPONA DOMESTIC collection ensures high performance and optimum style. EXPONA DOMESTIC collection will under normal conditions resist household stains, will not crack, chip or splinter. By following our simple maintenance instructions, your floor will look great for years to come.

From a collection of 30 colour and style options as well as the additional accessories, we are confident you will own a floor design to be proud of. The manufacturers of the EXPONA DOMESTIC collection are confident that their high quality products will provide many years of valuable service. All products purchased from the range are guaranteed for 15 years against normal wear and tear in the recommended environment, provided that they have been fitted correctly and maintained in accordance with the manufacturer's instructions. In order to make a claim, customers must apply in writing, indicating where the flooring was purchased and provide satisfactory proof of purchase.

This guarantee only applies in the event of visible wearing out of the decorative pattern on the surface within 15 years of purchase, providing the flooring has been subject to normal usage in the recommended environment.

It does not cover general misuse and we suggest that adequate UV protection be taken against products being installed in direct sunlight as fading may occur. It is the manufacturer's recommendation that felt or teflon pads are used for protection under chairs and other furniture which will help to prevent scratching and marring of your floor's finish.

When moving any heavy objects, please place a plywood panel over your vinyl floor.

In the event the manufacturers of EXPONA DOMESTIC accepting that a claim is valid under this guarantee, they will either repair the flooring or supply replacement flooring free of charge.

In the unlikely event of the flooring no longer being in stock, then the flooring of equivalent quality will be provided.

PRODUCT SPECIFICATIONS

Gauge: 2.0 mm

Wear layer thickness: 0.4 mm

Surface treatment: Polyurethane

Behaviour to fire: B_{fl}-s1

Slip resistance: R 9/DS

Performance classification: 23/32/41




QUALITY TESTED

Our guarantee of quality far exceeds the legal requirements. EXPONA DOMESTIC has the building inspection permit of the German Institute for Construction Technology (the *bauaufsichtliche Zulassung des Deutschen Instituts für Bautechnik* – known by the German acronym DIBt) and can therefore be used without any hesitation in any residential or architectural space subject to the classifications in the permit.



The flooring also fulfils the requirements of the AgBB Scheme (standing for *Ausschuss zur gesundheitlichen Bewertung von Bauprodukten*, in English: Committee for Health Inspection of Building Products). This evaluation scheme sets health-based quality standards for the manufacturing and application of building products in interior spaces and supports the use of particularly low-emission products. Polyflor has entrusted the Eurofins Institute, one of the leading providers of analytics, with regular testing of the contents and the emission behaviour of the flooring for any deviations from the values stipulated by the DIBt. This additional quality level is marked on the packaging with a symbol displaying the letter "Ü" (standing for the German word for "monitored"). Polyflor therefore offers you an above-average level of safety.



EXPONA[®]

DOMESTIC

THE FEEL-GOOD FLOORING FOR YOUR HOME



Polyflor Australia

59-65 Wedgewood Road
Hallam, VIC 3803
AUSTRALIA

T: 1800 777 425

F: 03 9215 4444

E: sales@polyflor.com.au

polyflor.com.au

Polyflor New Zealand

100 Plunket Avenue
Manukau, Auckland 2104
NEW ZEALAND

T: 0800 765 935

F: 0800 846 737

E: sales@polyflor.co.nz

polyflor.co.nz

